


# SPIROL®

## CONVEYOR SPACERS

### Series CS100 Spacers

For Gravity Feed or Skate Wheel  
Conveyors and Conveyor Systems



**SPIROL® Conveyor Spacers separate the skate wheel rollers from each other and the conveyor walls.**

- The cost of the finished conveyor spacer in this large volume application is considerably less than cutoff tubing. *One net price per 1,000 units.*
- We shorten lead times through standardization of dimensions, standard raw material procurement, no outside processing, and the use of production machinery dedicated to standard sizes. This reduces costly setups and eliminates tooling charges.
- **SPIROL's** in-house application engineers consider your entire assembly for the highest quality at the lowest installed cost.

Standard Material	Standard Finish
<b>G</b> Galvanized Steel	<b>K</b> Plain

**Save Money** — Reduce component costs.  
We guarantee the lowest competitive pricing.

**Save Time** — Cut long lead times.  
Experience excellent delivery performance.

### INCH SPECIFICATIONS

Nominal Bolt Size	ID		OD Ref.	Wall Thickness Nominal	Length Range	
	Min.	Max.			Greater than or equal to	Less than or equal to
Ø.250	Ø.260	Ø.270	Ø.325	.030	.250	6.000
Ø.312	Ø.322	Ø.334	Ø.400	.036	.250	6.000
Ø.375	Ø.385	Ø.397	Ø.475	.042	.281	6.000

Spacer Length	Length Tolerance	
<b>Nominal Spacer Size</b>	<b>Ø.250</b>	<b>Ø.312 Ø.375</b>
Up to 1.500, incl.	±.005	±.010
Over 1.500 to 2, incl.	±.010	±.010
Over 2 to 4, incl.	±.010	±.015
Over 4	±.010	±.015

Intermediate lengths, longer lengths and customized spacers for specific applications available upon request and feasibility review.

**Make our Standards your Standards.**  
Design-in **SPIROL® Series CS100** Conveyor Spacers for the lowest cost, quick turnaround time, and improved quality.



## Application Engineering



### Application:

**SPIROL** was approached by a conveyor manufacturer who was, by cost, driven to use plastic tubing rather than steel spacers. The engineer, however, was concerned about the image the product would have using the plastic tubing when most other conveyor customers use steel. He really did not want to compromise the quality of the assembly or the perceived image of the product.

### Solution:

**SPIROL**'s Application Engineers were able to offer a cost-effective alternative to plastic, with the **Series CS100 Spacer**. In addition to being competitively priced with the plastic tubing, **SPIROL**'s standard line offered the customer strength, and by using galvanized material, the lead time was half that of made-to-order lengths of the plastic product.

**SPIROL** offered 1,000 piece minimum orders priced at the same rate regardless of quantity. This gave the customer flexibility in his ordering patterns.

Overall, the customer was able to maintain the quality of the conveyor assembly while also controlling cost and inventory.

**SPIROL**'s value originated from the roll forming process where parts are fabricated from strip steel with no scrap or shavings. For over 60 years we have made our Engineering Department available to work with you to find the common goal of lowest installed cost.

## Challenge Us!

**SPIROL** Application Engineers will review your application needs and work with your design team to recommend the best solution. One way to start the process is to select **Spacing Applications** in our **Optimal Application Engineering** portal at [www.SPIROL.com](http://www.SPIROL.com).

ISO/TS 16949:2002 Certified

**U.S.A.** **Spirol International Corporation**  
30 Rock Avenue  
Danielson, Connecticut 06239  
Tel. +1 (1) 860.774.8571  
Fax. +1 (1) 860.774.2048

**Spirol West Inc.**  
1950 Compton Avenue, Unit 111  
Corona, California 92881-6471  
Tel. +1 (1) 951.273.5900  
Fax. +1 (1) 951.273.5907

**Spirol International Corporation  
Shim Division**  
321 Remington Road  
Stow, Ohio 44224  
Tel. +1 (1) 330.920.3655  
Fax. +1 (1) 330.920.3659

**Canada** **Spirol Industries, Ltd.**  
3103 St. Etienne Boulevard  
Windsor, Ontario  
Canada N8W 5B1  
Tel. +1 (1) 519.974.3334  
Fax. +1 (1) 519.974.6550

**Mexico** **Spirol México, S.A. de C.V.**  
Carretera a Laredo KM 16.5 Interior E  
Col. Moisés Saenz  
Apodaca, N.L. 66613 México  
ó Apdo. Postal 151 de Apodaca, N.L.  
Tel. +52 (01) 81 8385 4390  
Fax. +52 (01) 81 8385 4391

**Europe** **Spirol Industries, Ltd.**  
Princewood Road  
Corby, Northants  
England NN17 4ET  
Tel. +44 (0) 1536 444800  
Fax. +44 (0) 1536 203415

**Spirol SAS**  
Rue Henri Rol Tanguy  
Z.A. Les Naux  
51450 Bétheny - Reims  
France  
Tel. +33 (0) 3 26 36 31 42  
Fax. +33 (0) 3 26 09 19 76

**Spirol GmbH**  
Briener Strasse 9  
80333 Munich  
Germany  
Tel. +49 (0) 931 454 670 74  
Fax. +49 (0) 931 454 670 75

**Spirol SAS en España**  
C/ Josep Cuxart, 30  
Cornellà de Llobregat,  
Barcelona, Spain  
Tel: +34 93 193 05 32  
Fax: +34 93 193 25 43

**Spirol S.A.S., organizační složka**  
Sokola Tůmy 743/16  
Ostrava-Mříánské Hory 70900  
Česká republika (Czech Republic)  
Tel/Fax: +420 417 537 979

**Asia Pacific** **Spirol International Engineered  
Fastener Trading Co. Ltd.**  
No. 11 Xi Ya Rd. North  
Section A, 1F, Building 14  
Wai Gao Qiao Free Trade Zone  
Shanghai, China 200131  
Tel. +86 (0) 21 5046-1451/1452  
Fax. +86 (0) 21 5046-1540

e-mail: [info@spirol.com](mailto:info@spirol.com)

**SPIROL.com**